GIT

- SET UP
  - Création d'un compte GIT.
  - Ajout d'une clée ssh
- Versioning
  - GIT


SET UP


SET UP

Création d'un compte GIT.

Se connecter a GIT (https://gitlab.com/) et se crée un compte.

Mainteant on va crée un repo.





Puis on remplie les cases a notre convenance .



Create blank project

Create a blank project to store your files, plan your work, and collaborate on code, among other things.

Project name

My awesome project

Must start with a lowercase or uppercase letter, digit, emoji, or underscore. Can also contain dots, pluses, dashes, or spaces.

Project URL

https://gitlab.com/ alexandre8713338 /

Project slug

my-awesome-project

Want to organize several dependent projects under the same namespace? Create a group.

Project deployment target (optional)

Select the deployment target

Visibility Level

- Private
  Project access must be granted explicitly to each user. If this project is part of a group, access is granted to members of the group.
- Public
  The project can be accessed without any authentication.

Project Configuration

- [x] Initialize repository with a README
  Allows you to immediately clone this project's repository. Skip this if you plan to push up an existing repository.

- [ ] Enable Static Application Security Testing (SAST)
  Analyze your source code for known security vulnerabilities. Learn more.

Create project Cancel

SET UP

Ajout d'une clée ssh

Tout d'abord on va générer une clée ssh.


```
ssh-keygen -t ed25519
```

Puis on va afficher la clé ssh que l'on viens de générer.


```
cat .ssh/id_ed25519.pub
ssh-ed25519 AAAAC8GNJDBVDGDIG8OF9XiRtNILBJFDGDGDJTaIo4rZUn6 root@BASTION-FRONT-01
```

On va aller l'ajouter au repo git.

Se rendre dans l'onglet preferences.



Allez dans SSH Keys.



Et ajouter la .

Ensuite on va executer les ssh-agent.

```
exec ssh-agent bash
```

Maintenant on va ajouter la clé ssh privé.

```
ssh-add ../.ssh/id_ed25519
```

Versioning

Versioning

GIT


On va crée un répertoire GIT et s'y déplacer.

```
BASTION-FRONT-01:~# mkdir GIT && cd GIT/
BASTION-FRONT-01/GIT:~#
```

Si GIT n'est pas installer:

```
apt update && apt install git
```

Maintenant il faut se rendre sur notre repo et cliquer sur code.



Et il faut copier le Clone with SSH.

Ensuite faire:

```
git clone (mettre le liens)
```